

PUBLIKATIONSLISTE

Prim. Univ. Prof. Dr. W. Hasibeder

	SEITEN
- ORIGINALIEN	2-13
- ÜBERSICHTSARTIKEL	14-16
- FALLBERICHTE	17 -19
- EDITORIALS	20
- BRIEFE AN DEN HERAUSGEBER	20-22
- BUCHBEITRÄGE	23-25
- ABSTRACTS	25-36

ORIGINALIEN

- 1) Mairbäurl H, Schobersberger W, *Hasibeder W*, Schwabberger W, Gasser G, Tanaka K (1985) Regulation of red cell 2,3-DPG and HbO₂-affinity during acute exercise. Eur J Appl Physiol 55:174 -180
- 2) Mairbäurl H, Schobersberger W, Humpeler E, *Hasibeder W*, Fischer W, Raas E (1986) Beneficial effects of exercise at moderate altitude on red cell oxygen transport and on exercise performance. Pflügers Arch 406:504-509
- 3) Schobersberger W, *Hasibeder W*, Mairbäurl H, Hopferwieser T, Humpeler E, Knapp E, Löffler HD, Wytibul K, Dittrich P (1987) Untersuchungen über die Kurzzeitanpassung und Leistungsfähigkeit chronisch Nierenkranker in alpinen Höhenlagen (2000 m und 3000 m). Niere und Hochdruckkrankheiten 1:33-38
- 4) *Hasibeder W*, Schobersberger W, Mairbäurl H (1987) Red cell O₂-transport before and after short term maximal swimming in dependence of the training status. Int J Sports Med 8:105-108
- 5) Mairbäurl H, Schobersberger W, *Hasibeder W*, Knapp E, Hopferwieser T, Dittrich P (1989) Increase in HbO₂- affinity at moderate altitude (2000m) in patients on maintenance hemodialysis. Clinical Nephrology 31:198-203
- 6) Mairbäurl H, Schobersberger W, *Hasibeder W*, Knapp E, Hopferwieser T, Humpeler E, Löffler HD, Wetzels E, Wybitul K, Baumgartl P, Dittrich P (1989) Exercise performance of hemodialysis patients during short termed and prolonged exposure to altitude. Clinical Nephrology 31:31-39
- 7) Schobersberger W, Tschann M, *Hasibeder W*, Steidl M, Herold M, Nachbauer W, Koller A (1990) Consequences of a six week strength training on red cell oxygen transports and iron status. Eur J Appl Physiol 60:163-168

- 8) Haisjackl M, *Hasibeder W*, Klaunzer S, Altenberger H, Koller W (1990) Diminished reactive hyperemia in the skin of critically ill patients. *Crit Care Med* 18:813-816
- 9) *Hasibeder W*, Haisjackl M, Klaunzer S, Hörmann Ch, Sparr H, Salak N, Germann R, Hackl JM (1991) Factors influencing transcutaneous oxygen and carbone dioxide monitoring in adult intensive care patients. *Int Care Med* 17:272-275
- 10) Schwarz CD, *Hasibeder W* Haisjackl M, Germann R, Sparr H, Abendstein B, Friesenecker B, Herold M (1994) Na-thaurocholate induced acute necrotizing pancreatitis does not effect jejunal oxygenation in pigs. *Crit Care Med* 22:135-141
- 11) *Hasibeder W*, Germann R, Sparr H, Haisjackl M, Friesenecker B, Luz G, Pernthaler H, Pfaller K, Maurer H, Ennemoser O (1994) Vasomotion induces regular major oscillations in jejunal mucosal tissue oxygenation. *Am J Physiol* 266:G978-G986
- 12) Germann R, Haisjackl M, *Hasibeder W*, Sparr H, Luz G, Plattner R, Pernthaler H, Friesenecker B, Falk M (1994) Dopamine and mucosal oxygenation in the porcine jejunum. *J Appl Physiol* 77:2845-2852
- 13) Germann R, *Hasibeder W*, Haisjackl M, Sparr H, Luz G, Pernthaler H, Friesenecker B, Bonatti H, Gruber E, Schwarz B (1995) Dopamine-1-receptor stimulation and mucosal tissue oxygenation in the porcine jejunum. *Crit Care Med* 23:1560-1566
- 14) *Hasibeder W*, Germann R, Wolf HJ, Haisjackl M, Hausdorfer H, Riedmann H, Bonatti H, Gruber E, Schwarz B, Waldenberger P, Friesenecker B, Furtner B (1996) The effects of short-term endotoxemia and dopamine on mucosal oxygenation in the porcine jejunum. *Am J Physiol* 270:G667-G675
- 15) Gottardis M, Hackl JM, *Hasibeder W*, Putensen Ch, Knapp D (1996) Vergleich einer standartisierten Ernährungslösung (ZPE-Glukose/Elektrolyte) mit einer üblichen Ernährung im Intensivbereich. *Infusionstherapie und Transfusionsmedizin* 23:187-195

- 16) Haisjackl M, Luz G, Sparr H, Germann R, Salak N, Friesenecker B, Deusch E, Meusburger S, *Hasibeder W* (1997) The effects of progressive anemia on jejunal mucosal and serosal tissue oxygenation in pigs. *Anesth Analg* 84: 538-44
- 17) Germann R, Haisjackl M, Schwarz B, Deusch E, Meusburger S, Gruber E, Pajk W, Hausdorfer H, Bonatti J, Furtner B, Ulmer H, *Hasibeder W* (1997) Inotropic treatment and intestinal mucosal tissue oxygenation in a model of porcine endotoxemia. *Crit Care Med* 25: 1191-1197
- 18) Germann R, Haisjackl M, Schwarz B, Natauka S, Deusch E, Pajk W, Wolf HJ, Riedmann B, *Hasibeder W* (1997) Dopamine and intestinal mucosal tissue oxygenation in a porcine model of haemorrhage. *Brit J Anesth.* 79: 357-362
- 19) Haisjackl M, Germann R, *Hasibeder W*, Schwarz B, Salak N, Pajk W, Bonatti H, Nussbaumer W, Klima G, Kox W, Mutz N (1999) Mucosal tissue oxygenation in the porcine jejunum during normothermic cardiopulmonary bypass. *Brit J Anesth* 82:738-747
- 20) Schobersberger W, Fries D, *Hasibeder W*, Schwamberger H, Klingler A, Andretter V, Kofler A, Hackl JM (1999) Durchführung therapielimitierender Maßnahmen an Intensivmedizinischen Stationen: Therapieabbruch, Therapiereduktion und Therapieverzicht an den Intensivmedizinischen Abteilungen der Universitätskliniken Innsbruck. *Wien Klin Wochenschr* 111/19: 802-809
- 21) Gruber EM, Schwarz B, Germann R, Breuss M, Bonatti J, *Hasibeder W* (2000) Reactive hyperemia in the skin after hypothermic cardiopulmonary bypass. *J Cardiothorac Vasc Anesth* 14:161-165
- 22) Knotzer H, Mayr A, Ulmer H, Lederer W, Schobersberger W, Mutz N, *Hasibeder W* (2000) Tachyarrhythmias in a surgical intensive care unit: a case controlled epidemiologic study. *Int Care Med* 26:908-914

- 23) Schwarz B, Hofstätter H, Salak N, Pajk W, Knotzer H, Mayr A, Labeck B, Kafka R, Ulmer H, *Hasibeder W* (2001) Effects of norepinephrine and phenylephrine on intestinal oxygen supply and mucosal tissue oxygen tension. *Int Care Med* 27:593-601
- 24) Hobisch-Hagen P, Wiedermann F, Mayr A, Fries D, Jelkmann W, Fuchs D, *Hasibeder W*, Mutz N, Klingler A, Schobersberger W (2001) Blunted erythropoetic response to anemia in multiple traumatized patients. *Crit Care Med* 29:743-747
- 25) Salak N, Pajk W, Knotzer H, Hofstätter H, Schwarz B, Mayr A, Labeck B, Kafka R, Ulmer H, Mutz N, *Hasibeder W* (2001) Effects of epinephrine on intestinal oxygen supply and mucosal tissue oxygen tension in pigs. *Crit Care Med* 29:367-373
- 26) Mayr A, Knotzer H, Pajk W, Luckner G, Ritsch N, Dünser M, Ulmer H, Schobersberger W, *Hasibeder W* (2001) Risk factors associated with new onset tachyarrhythmias after cardiac surgery – a retrospective analysis. *Acta Anaesth Scand* 45:543-549
- 27) Dünser M, Mayr A, Ulmer H, Ritsch N, Knotzer H, Pajk W, Luckner G, Mutz N, *Hasibeder W* (2001) Effects of Vasopressin on systemic hemodynamics in catecholamine-resistant septic- and postcardiotomy shock: a retrospective analysis. *Anesth Analg* 93:7-13
- 28) Dünser M, Mayr A, Stallinger A, Ritsch N, Knotzer H, Pajk W, *Hasibeder W* (2002) Cardiac performance during vasopressin infusion in catecholamine-resistant postcardiotomy shock: A retrospective analysis. *Intensive Care Med* 28:746-751
- 29) Mayr A, Dünser M, Jochberger S, Knotzer H, Fries D, Klingler A, *Hasibeder W*, Schobersberger W (2002) Monitoring of low molecular weight heparins with antifactor Xa-activity in critically ill patients. *Thrombosis Research* 105: 201-204
- 30) Pajk W, Schwarz B, Knotzer H, Friesenecker B, Mayr A, Dünser M, *Hasibeder W* (2002) Jejunal tissue oxygenation and microvascular flowmotion during hemorrhage and resuscitation. *Am J Physiol* 283:H2511-H2517

- 31) Mayr A, Ritsch N, Knotzer H, Dünser M, Schobersberger W, Ulmer H, Mutz N, *Hasibeder W* (2003) Effectiveness of direct countercurrent cardioversion for treatment of supraventricular tachyarrhythmias in surgical intensive care patients. *Crit Care Med* 31: 401-405
- 32) Dünser M, Mayr A, Tür A, Pajk W, Friesenecker B, Knotzer H, Ulmer H, *Hasibeder W* (2003) Ischemic skin lesions as a complication of continuous vasopressin infusion in catecholamine-resistant vasodilatory shock: incidence and risk factors. *Crit Care Med* 31: 1394-1398
- 33) Madl C, *Hasibeder W*, Lechleitner P, Lenz K, Lindner K.H., Oder W, Prause G, Rimpl E, Schmutzhard E, Sterz F (2002) Österreichische Interdisziplinäre Konsensuskonferenz — Empfehlungen zur Prognosebeurteilung bei cerebraler Hypoxie nach kardiopulmonaler Reanimation. *WiKliWo* 114:422-427
- 34) Dünser MW, Mayr AJ, Ulmer H, Knotzer H, Sumann G, Pajk W, Friesenecker B, *Hasibeder W* (2003) Arginine vasopressin in advanced vasodilatory shock: A prospective, randomized, controlled study. *Circulation* 107:2313-2319
- 35) Mayr AJ, Dünser MW, Pajk W, Ulmer H, Ritsch N, Friesenecker B, Knotzer H, *Hasibeder W* (2004) High-dosage continuous amiodarone therapy to treat new-onset supraventricular tachyarrhythmias in surgical intensive care unit patients: an observational study. *Wien Klin Wochenschr* 116: 310-317
- 36) Dünser MW, *Hasibeder W*, Wenzel V, Schwarz S, Ulmer H, Pajk W, Friesenecker BE, Mayr AJ (2004) Endocrinologic response to vasopressin infusion in advanced vasodilatory shock: a prospective, randomized, controlled study. *Crit Care Med* 32:1266-1271
- 37) Dünser MW, Fries DR, Schobersberger W, Ulmer H, Wenzel V, Friesenecker B, *Hasibeder WR*, Mayr AJ (2004) Does vasopressin influence the coagulation system in advanced vasodilatory shock? *Anesth Analg* 99: 201-206

- 38) Dünser MW, Werner ER, Wenzel V, Ulmer H, Friesenecker BE, *Hasibeder WR*, Mayr AJ (2004) Arginine vasopressin and serum nitrite/nitrate concentrations in advanced vasodilatory shock. *Shock. Acta Anaesthesiol Scand* 48: 814-819
- 39) Friesenecker B, Tsai AG, Dünser MW, Mayr AJ, Martini J, Knotzer H, *Hasibeder W*, Intaglietta M (2004) Oxygen distribution in the microcirculation following arginine-vasopressin induced arteriolar vasoconstriction. *Am J Physiol* 287: H1792-H1800
- 40) Knotzer H, Pajk W, Maier S, Ladurner R, Kleinsasser A, Wenzel V, Dünser MW, Ulmer H, *Hasibeder WR* (2005) Arginine-vasopressin reduces intestinal oxygen supply and mucosal tissue oxygen tension. *Am J Physiol* 289:H168-H173
- 41) Schobersberger W, Greie S, Humpeler E, Mittermayr M, Fries D, Schobersberger B, Artner-Dworzak E, *Hasibeder W*, Klingler A, Gunga HC (2005) Austrian Moderate Altitude Study (AMAS 2000): Erythropoetic Activity and Hb-O₂ Affinity During a 3-Week Hiking Holiday at Moderate Altitude in Persons with Metabolic Syndrome. *High Alt Med Biol* 6:167-177
- 42) Luckner G, Dünser MW, Jochberger S, Mayr VD, Wenzel V, Ulmer H, Schmid S, Knotzer H, Pajk W, *Hasibeder W*, Mayr AJ, Friesenecker B (2005) Arginine vasopressin in 316 patients with advanced vasodilatory shock. *Crit Care Med* 33: 2659-2666
- 43) Jochberger S, Mayr V, Luckner G, Fries DR, Mayr AJ, Friesenecker BE, Lorenz I, *Hasibeder W*, Ulmer H, Schobersberger W, Dünser MW (2005) Antifactor Xa activity in critically ill patients receiving antithrombotic prophylaxis with standard dosages of certoparin: a prospective clinical study. *Crit Care* 9:541-548
- 44) Dünser MW, Mayr AJ, Hinterberger G, Flörl CL, Ulmer H, Schmid S, Friesenecker B, Lorenz I, *Hasibeder WR* (2005) Central venous catheter colonization rates in critically ill patients: a prospective, randomized, controlled study comparing standard with two antiseptic-impregnated catheters. *Anesth Analg* 101:1778-1784

- 45) Knotzer H, Maier S, Dünser MW, *Hasibeder WR*, Hausdorfer H, Brandner J, Torgersen C, Ulmer H, Friesenecker B, Iannetti C, Pajk W (2005) Arginine vasopressin does not alter mucosal tissue oxygen tension and oxygen supply in an acute endotoxemic pig model. *Int Care Med* 32:170-174
- 46) Jochberger S, Mayr VD, Luckner G, Wenzel V, Ulmer H, Schmid S, Knotzer H, Pajk W, *Hasibeder W*, Friesenecker B, Mayr AJ, Dünser MW (2006) Serum vasopressin concentrations in critically ill patients. *Crit Care Med* 34: 293-299
- 47) Knotzer H, Pajk W, Dünser MW, Maier S, Mayr AJ, Ritsch N, Friesenecker B, *Hasibeder WR* (2006) Regional microvascular function and vascular reactivity in patients with different degrees of multiple organ dysfunction syndrome. *Anesth Analg* 102: 1187-1193
- 48) Luckner G, Dünser MW, Stadlbauer KH, Mayr VD, Jochberger S, Wenzl V, Ulmer H, Pajk W, *Hasibeder WR*, Friesenecker B, Knotzer H (2006) Cutaneous vascular reactivity and flow motion response to vasopressin in advanced vasodilatory shock and severe postoperative multiple organ dysfunction syndrome. *Critical Care* 10: R40
- 49) Mayr VD, Dunser MW, Greil V, Jochberger S, Luckner G, Ulmer H, Friesenecker BE, Takala J, *Hasibeder WR* (2006) Causes of death and determinants of outcome in critically ill patients. *Crit Care* 10:R154
- 50) Friesenecker BE, Tsai AG, Martini J, Ulmer H, Wenzel V, *Hasibeder WR*, Intaglietta M, Dunser MW (2006) Arteriolar vasoconstrictive response: comparing the effects of arginine vasopressin and norepinephrine. *Crit Care*10:R75
- 51) Knotzer H, Pajk W, Maier S, Dunser MW, Ulmer H, Schwarz B, Salak N, *Hasibeder WR* (2006) Comparison of lactated Ringer's, gelatine and blood resuscitation on intestinal oxygen supply and mucosal tissue oxygen tension in haemorrhagic shock. *Br J Anaesth* 97:509-516

- 52) Jochberger S, Morgenthaler NG, Mayr VD, Luckner G, Wenzel V, Ulmer H, Schwarz S, *Hasibeder WR*, Friesenecker BE, Dunser MW (2006) Copeptin and arginine vasopressin concentrations in critically ill patients. *J Clin Endocrinol Metab* 91:4381-4386
- 53) Mayr V, Luckner G, Jochberger S, Wenzel V, Ulmer H, Pajk W, Knotzer H, Friesenecker B, Lindner K, *Hasibeder W*, Dunser M (2007) Arginine vasopressin in advanced cardiovascular failure during the post-resuscitation phase after cardiac arrest. *Resuscitation* 72:35-44
- 54) Friesenecker B, Tsai AG, Dunser MW, Martini J, *Hasibeder W*, Intaglietta M (2007) Lowered microvascular vessel wall oxygen consumption augments tissue pO₂ during PgE₁-induced vasodilation. *Eur J Appl Physiol* 99:405-414
- 55) Knotzer H, Maier S, Dunser M, Stadlbauer KH, Ulmer H, Pajk W, *Hasibeder WR* (2007) Oscillation frequency of skin microvascular blood flow is associated with mortality in critically ill patients. *Acta Anaesthesiol Scand* 51:701-707
- 56) Mayr VD, Luckner G, Jochberger S, Wenzel V, *Hasibeder WR*, Dunser MW (2007) Vasopressin as a rescue vasopressor agent : Treatment of selected cardiogenic shock states. *Anaesthesist* 56:1017-1023
- 57) Westermann I, Dunser MW, Haas T, Jochberger S, Luckner G, Mayr VD, Wenzel V, Stadlbauer KH, Innerhofer P, Morgenthaler N, *Hasibeder WR*, Voelckel WG (2007) Endogenous vasopressin and copeptin response in multiple trauma. *Shock* 28: 644-649
- 58) Luckner G, Mayr VD, Jochberger S, Wenzel V, Ulmer H, *Hasibeder WR*, Dunser MW (2007) Comparison of two dose regimens of arginine vasopressin in advanced vasodilatory shock. *Crit Care Med* 35:2280-2285
- 59) Inipavudu B, Mitterschiffthaler G, *Hasibeder WR*, Dünser MW (2007) Spinal versus epidural anesthesia for vesicovaginal fistula repair surgery in a rural sub-Saharan African setting. *J Clin Anesth* 19:444-447

- 60) Westermann I, Dünser MW, Haas T, Jochberger S, Luckner G, Mayr VD, Wenzel V, Stadlbauer KH, Innerhofer P, Morgenthaler N, *Hasibeder WR*, Voelckel WG (2007) Endogenous vasopressin and copeptin response in multiple trauma patients. *Shock* 28:644-649
- 61) Jochberger S, Ismailova F, Lederer W, Mayr VD, Luckner G, Wenzl V, Ulmer H, *Hasibeder WR*, Dünser MW; For the „Helfen Berührt“ Study Team (2008) Anesthesia and its allied disciplines in the developing world: A nationwide survey in the republic of Zambia. *Anesth Analg* 106:942-948
- 62) Maier S, Pajk W, Ulmer H, Hausdorfer H, Torgersen CH, Klocker J, *Hasibeder W*, Knotzer H (2008) Epoprostenol improves mucosal tissue oxygen tension in an acute endotoxaemic pig model. *Shock* in Press.
- 63) Luckner G, Jochberger S, Mayr VD, Wenzel V, Ulmer H, *Hasibeder WR*, Dünser MW (2008) Arginine Vasopressin bei Patienten mit chronischer ACE-Hemmer-Therapie und anhaltender postoperativer Hypotension. *Anästhesiologie & Intensivmedizin* in Press
- 64) Schmittinger CA, Dünser MW, Haller M, Ulmer H, Luckner G, Torgersen Jochberger S, *Hasibeder WR* (2008) Combined milrinone and enteral metoprolol therapy in patients with septic myocardial depression. *Crit Care* 4;12: R99
- 65) Jochberger S, Zitt M, Mayr VD, Wenzel V, Ulmer H, Morgenthaler NG, *Hasibeder WR*, Dünser MW (2009) Postoperative vasopressin and copeptide levels in noncardiac surgery patients: A prospective controlled trial. *Shock* 31:132-138
- 66) Maier S, Pajk W, Ulmer H, Hausdorfer H, Torgersen C, Klocker J, *Hasibeder W*, Knotzer H (2009) Epoprostenol improves mucosal tissue oxygen tension in an acute endotoxaemic pig model. *Shock* 31:104-110

- 67) Jochberger S, Velik-Salchner C, Mayr VD, Luckner G, Wenzel V, Falkensammer G, Ulmer H, Morgenthaler N, *Hasibeder W*, Dünser MW (2009) The vasopressin and copeptin response in patients with vasodilatory shock after cardiac surgery: a prospective, controlled study. *Int Care Med* 35:489-497
- 68) Maier S, *Hasibeder W*, Hengl C, Pajk W, Schwarz B, Margreiter J, Ulmer H, Engl J, Knotzer H (2009) Effects of phenylephrine on the sublingual microcirculation during cardiopulmonary bypass. *BJA*; 4:485-491
- 69) Torgersen C, Moser P, Luckner G, Mayr V, Jochberger S, *Hasibeder WR*, Dünser MW (2009) Macroscopic postmortem findings in 235 surgical intensive care patients with sepsis. *Anesth Analg* 108:1841-1847
- 70) Luckner G, Torgersen C, Mayr V, Jochberger S, Wenzel V, *Hasibeder WR*, Dünser MW (2009) Advanced vasodilatory shock. One-year survival after arginine vasopressin therapy. *Anaesthesist* 58:144-148
- 71) Maier S, Holz-Hözl C, Pajk W, Ulmer H, Hengl C, Dünser M, Haas T, Velik-Salchner C, Fries D, Greiner A, *Hasibeder W*, Knotzer H (2009) Microcirculatory parameters after isotonic and hypertonic colloidal fluid resuscitation in acute hemorrhagic shock. *J Trauma* 66:337-345
- 72) Jochberger S, Dörler J, Luckner G, Mayr VD, Wenzel V, Ulmer H, Morgenthaler NG, *Hasibeder WR*, Dünser MW (2009) The vasopressin and copeptin response to infection, severe sepsis, and septic shock. *Crit Care Med* 37:476-482
- 73) Dünser MW, Bataar O, Tsenddorj G, Lundeg G, Torgersen C, Romand JA, *Hasibeder WR* (2008) Differences in critical care practice between an industrialized and a developing country. *Wien Klin Wochenschr* 120:600-607

- 74) Dünser MW, Takala J, Ulmer H, Mayr VD, Luckner G, Jochberger S, Daudel F, Lepper P, *Hasibeder WR*, Jakob SM (2009) Arterial blood pressure during early sepsis and outcome. *Int Care Med* 35:1225-1233
- 75) Maier S, *Hasibeder W*, Pajk W, Hengl C, Ulmer H, Hausdorfer H, Wurzinger B, Knotzer H (2009) Arginine Vasopressin attenuates beneficial norepinephrine effect on jejunal mucosal tissue oxygenation during endotoxemia. *BJA* 103:691-700
- 76) Schmittinger CA, Wurzinger B, Deutinger M, Wohlmuth C, Knotzer H, Torgerson C, Dünser MW, *Hasibeder WR* (2010) How to protect the heart in septic shock: A hypothesis on the pathophysiology and treatment of septic heart failure. *Med Hypothesis* 74:460-465
- 77) Wurzinger B, Dünser MW, Wohlmuth C, Deutinger M, Ulmer H, Torgerson C, Schmittinger CA, Grander W, *Hasibeder WR* (2010) The association between body-mass index and patient outcome in septic shock: a retrospective cohort study. *Wien Klin Wochenschr* 122:31-36
- 78) Wohlmuth C, Dünser MW, Wurzinger B, Deutinger M, Ulmer H, Torgerson C, Schmittinger CA, Grander W, *Hasibeder WR* (2010) Early fish oil supplementation and organ failure in abdominal sepsis patients: a propensity-matched cohort study. *J of Enteral and Parenteral Nutr* 34:431-437
- 79) *Hasibeder WR*, Dünser MW, Halabi M, Brinninger G (2010) The relationship between lung water and oxygenation in three patients with influenza A (H1N1)-induced respiratory failure. *Wien Klin Wochenschr* 122:637-640

- 80) Torgersen C, Luckner G, Morgenthaler NG, Jochberger S, Schmittinger CA, Wenzel V, Hasibeder WR, Grander W, Dünser MW (2010) Plasma copeptin levels before and during arginine vasopressin infusion in patients with advanced vasodilatory shock. *Minerva Anesthesiol* 76:905-912
- 81) Meybohn P, Van Aken H, De Gasperi A, De Hert S, Della Rocca G, Girbes AR, Gombotz H, Guidet B, *Hasibeder W*, Hollmann MW, Ince C, Jacob M, Kranke P, Kozek-Langenecker S, Loer SA, Martin C, Siegemund M, Wunder C, Zacharowski K (2013). Re-evaluating currently available data and suggestions for planning randomised controlled studies regarding the use of hydroxyethyl starch in critically ill patients - a multidisciplinary statement. *Crit Care* 2013;17:R166
- 82) Friesenecker B, Fruhwald S, *Hasibeder W*, Hörmann C, Hoffmann ML, Krenn CG, Lenhart-Orator A, Likar R, Pernerstorfer T, Pfausler B, Roden C, Schaden E, Valentin A, Wallner J, Zink M, Peintinger M (2013). Definitions, decision-making and documentation in end of life situations in the intensive care unit. *AINS* 48:216-223
- 83) Schmittinger CA, Dünser MW, Torgersen C, Luckner G, Lorenz I, Schmid S, Joannidis M, Moser P, *Hasibeder W*, Halabi M, Steger CM (2013). Histological pathologies of the myocardium in septic shock: a prospective observational study. *Shock* 39:329-335

REVIEW ARTICLES

- 1) *Hasibeder W, Sparr H, Germann R, Luz G, Friesenecker B, Haisjackl M (1993)*
Determinanten der zellulären Sauerstoffversorgung. *Akt Ernähr Med* 18: 198-201.
- 2) *Luz G, Innerhofer P, Hasibeder W, Haisjackl M (1993)* Perioperative Hämodilution:
Indikationen und Praktikabilität. *Akt Ernähr Med* 18: 274-278.
- 3) *Hasibeder W, Germann R, Seyr M (1994)* Der Ertrinkungsunfall: Pathophysiologie
Klinik - Therapie. *Gazette medicale* 15:330-334.
- 4) *Mutz NJ, Putensen Ch, Hasibeder W, Koller W (1996)* Modern strategies for
ventilatory support. *Acta Anesth Scand* 40:41-44.
- 5) *Mutz NJ, Hasibeder W, Koller W, Mayr A, Schobersberger W (1997)* Ventilatory
Support in ARDS-Patients: Morphological and Functional Considerations. *Acta
Anesth Scand* 41:118-119
- 6) *Schwarz B, Salak N, Hofstötter H, Pajk W, Knotzer H, Mayr A, Hasibeder W*
(1999) Intestinale Ischämie und Reperfusion. *Wien Klin Wochenschr* 111:539-548
- 7) *Hasibeder W (2000)* Critical point in sepsis: VO₂/DO₂ controversy. *Minerva
Anesthesiologica* 66:109-112.
- 8) *Mayr A, Kofler G, Hasibeder W (2001)* Infektionen durch intravasale Katheter.
Wiener Klin Wochenschrift MAGAZIN 19a: 30-35
- 9) *Dünser M, Wenzel V, Mayr A, Hasibeder W (2002)* Vasopressin im
vasodilatatorischen Schock: Ein neuer Therapieansatz ? *Anästhesist* 51: 650-659
- 10) *Dünser M, Mayr A, Wenzel V, Hasibeder W (2003)* Management of vasodilatory
shock: Defining the role of arginine vasopressin. *Drugs* 63: 237-256

- 11) *Hasibeder W* (2003) Near-Drowning. *Curr Opin Anesth* 16: 139-145
- 12) *Hasibeder W*, Friesenecker B, Mayr AJ (2003). Beinaheertrinken: Epidemiologie Pathophysiologie – Therapie. *Anaesthesiol Intensivmed Notfallmed Schmerzther* 38: 333-340
- 13) *Hasibeder W* (2003) Near-Drowning. *Int J Int Care* 10: 166-172
- 14) *Hasibeder W* (2004) Notfälle im Tauchsport. *Sportmedizin* 2: 6-11
- 15) *Hasibeder W* (2004) Beinaheertrinken. *Caisson* 2
- 16) Knotzer H, Dünser MW, Mayr AJ, *Hasibeder WR* (2004) Postbypass Arrhythmias: Pathophysiology, Prevention, and Therapy. *Curr Opin Crit Care* 10: 330-335
- 17) *Hasibeder W*, Dünser MW, Friesenecker B (2006) Katheter assoziierte Infektionen: Pathophysiologie, Diagnose und Therapie. *Der Facharzt* 1/2006: 16-20
- 18) *Hasibeder W*, Dünser M, Friesenecker B, Knotzer H, Mayr A, Pajk W (2006) Herzkreislauftherapie beim septischen Schock. *Verlag der Mediziner* 3/2006: 20-26.
- 19) Dünser MW, *Hasibeder WR*, Wenzel V, Meier-Hellmann A (2006) Arginine Vasopressin in septic and vasodilatorial shock. *Anesthesiol Intensivmed Notfallmed Schmerzther* 41:716-719
- 20) Knotzer H, *Hasibeder WR* (2007) Microcirculatory function monitoring at the bedside-a view from the intensive care. *Physiol Meas* 28:R65-R86
- 21) Knotzer H, *Hasibeder WR* (2008) Die Mikrozirkulation beim Intensivpatienten – von der Physiologie zur Klinik. *Anästhesist* 57:151-164

- 22) *Hasibeder WR, Torgersen Ch, Rieger M, Dünser MW (2009) Critical care of the patient with acute pancreatitis. Anaesthesia and Intensive Care 37:190-206*
- 23) *Dünser MW, Hasibeder WR (2009) Sympathetic overstimulation during critical illness: adverse effects of adrenergic stress. Clinical Intensive Care 24:293-316*
- 24) *Torgerson C, Luckner G, Morgenthaler NG, Jochberger S, Schmittinger CA, Wenzel V, Hasibeder WR, Grandner W, Dünser MW (2010) Plasma copeptin levels before and during exogenous arginine vasopressin infusion in patients with advanced vasodilatory shock. Minerva Anesthesiologica (April 12, Epub ahead of print)*
- 25) *Hasibeder W (2010) Does Standardization in Intensive Care Medicine work? Curr Opin Crit Care 16:493-498*
- 26) *Hasibeder W, Halabi M (2014). Candida peritonitis. Minerva Anesthesiol;80:470-481*

CASE REPORTS

- 1) Haisjackl M, *Hasibeder W*, Sparr H, Klaunzer S, Putz G, Kroesen G (1989) Die Anwendung einer transkutanen PO₂ / PCO₂ - Kombielektrode zur Überwachung der Volumenstherapie bei einem schockierten Kleinkind. *Anaesthesist* 38:431-433.
- 2) Seyr M, *Hasibeder W*, Furtwaengler W, Andretter H, Mutz N (1993) Multiple organ failure after mitral valve repair with intravascular hemolysis and its recovery to mitral valve replacement. *Intensive Care Med* 19:358-360.
- 3) Deusch E, Mayr A, Hobisch-Hagen P, Fend F, Mutz N, Bangerl I, *Hasibeder W* (1999) Angiotropic Large B-Cell Lymphoma misdiagnosed as Urosepsis with multiple organ failure syndrome. *Acta Anaest Scand* 43:100-103
- 4) Mayr A, Lederer W, Mörtl M, Margreiter J, Hoi M, *Hasibeder W*, Mutz N (1999) Successful treatment of severe myocardial failure after postpartum haemorrhage with the use of an intra-aortic balloon pump. *Int Care Med* 25:223-225.
- 5) Wiedermann F, Mayr A, Schobersberger W, Knotzer H, Sepp N, Rieger M, *Hasibeder W*, Mutz N (2000) Acute respiratory failure associated with catastrophic antiphospholipid syndrome. *J Int Med* 247:723-730
- 6) Rieder-Scharinger J, Peer R, Rabl W, *Hasibeder W*, Schobersberger W (2000) Multiorganversagen nach Butangasinhalation: Ein Fallbericht. *Wien Klin Wochenschr* 112/24:1049-1052
- 7) Mittermair RP, Schobersberger W, *Hasibeder W*, Allerberger F, Peer R, Bonatti H (2002) Necrotizing fasciitis with clostridium perfringens after laparoscopic cholecystectomy. *Surg endosc* 16:716-718

- 8) Dünser M, Mayr A, Gasser R, Rieger M, Friesenecker B, *Hasibeder W* (2002) Cardiac failure and multiple organ dysfunction syndrome in pituitary coma due to an atypical feature of multiple endocrine adenomatosis: a case report. *Acta Anaest Scand* 46: 1161-1164
- 9) Dünser M, *Hasibeder W*, Rieger M, Mayr AJ (2004) Successful therapy of severe pneumonia-associated ARDS after pneumonectomy with ECMO and steroids. *Ann Thorac Surg* 78: 335-337
- 10) Friesenecker BE, Peer R, Rieder J, Lirk P, Knotzer H, *Hasibeder WR*, Mayr AJ, Dünser MW (2005) Craniotomy during ECMO in a severely traumatized patient. *Acta Neurochir* 147:993-996
- 11) Jochberger S, Luckner G, Mayr VD, Wenzel V, Morgenthaler NG, Friesenecker BE, *Hasibeder WR*, Dünser MW (2006) Course of vasopressin and copeptin plasma concentrations in a patient with severe septic shock. *Anaesth Intensive Care* 4: 498-500
- 12) Mayr VD, Luckner G, Jochberger S, Wenzel V, *Hasibeder WR*, Dünser MW (2007) Vasopressin als Reservevasopressor. Behandlung ausgewählter kardiogener Schockzustände. *Anaesthesist* 56: 1017-1020
- 13) Luckner G, Mayr VD, Fries DR, Innerhofer P, Jochberger S, *Hasibeder WR*, Dünser MW (2008) Uncovering hypercoagulability in sepsis using ROTEM® thrombelastography: A case series. *Open Crit Care J* 1:1-6
- 14) Dünser MW, Bataar O, Rusher AH, *Hasibeder WR*, Tsenddorj G, Hbst HB (2008) Report from Mongolia - How much do we know about the incidence of rare cases in less developed countries: a case series. *J Med Case Reports* 2:358.

EDITORIALS

- 1) *Hasibeder W* (2002) Fluid resuscitation during capillary leakage: Does the type of fluid make a difference. *Int Care Med* 28: 532-534
- 2) Dünser MW, *Hasibeder WR* (2005) Dear Vasopressin, where is your place in septic shock? *Crit Care* 9: 134-135
- 3) Dünser MW, *Hasibeder WR* (2006) Vasopressin in vasodilatory shock: ensure organ blood flow, but take care of the heart! *Crit Care* 10:172
- 4) Dünser MW, Wenzel V, *Hasibeder WR* (2006) Revisiting vasopressor therapy during the first 24 hours after cardiac surgery. *Crit Care Med* 34:580-581
- 5) Lienhart HG, Wenzel V, Braun J, Dorges V, Dünser M, Gries A, *Hasibeder WR*, Helm M, Lefering R, Schlechtriemen T, Trimmel H, Ulmer H, Ummenhofer W, Voelckel WG, Waydhas C, Lindner K (2007) Vasopressin for therapy of persistent traumatic hemorrhagic shock: The VITRIS.at study. *Der Anaesthesist* 56:145-148
- 6) *Hasibeder W*, Dünser M (2008) Literatur im Fokus: Intensive Insulintherapie und Volumentherapie mit 10% Hemohe[®] zur Behandlung von Patienten mit schwerer Sepsis: Die VISEP-Studie. *Der Anaesthesist* 57:720-722
- 7) Knotzer H, *Hasibeder WR* (2009) In search of the optimal perfusion pressure – does the microcirculation give us the answer? *Crit Care Med* 37:2120-2121
- 8) *Hasibeder W* (2010) The microcirculation of the gastrointestinal tract – still a mystery. *BJA* 105:393-396
- 9) *Hasibeder W*, Mutz N (2011) In memoriam: Herbert Benzer. *Critical Care* 2011;15:165

LETTER TO THE EDITOR

- 1) *Hasibeder W, Mitterschiffthaler G, Schobersberger W (1988) Anaemia in a Jehovahs Witness. Anaesthesia 43:255-256.*
- 2) *Hasibeder W, Haisjackl M, Klaunzer S, Sparr H (1988) HbO₂-affinity in preeclamptic women. Anesthesiology 69:800.*
- 3) *Benzer A, Hasibeder W (1989) Carbamazepin and cardiac arrhythmias. Lancet 7:867.*
- 4) *Luz G, Haisjackl M, Hasibeder W, Altenberger H (1990) Transcutaneous PO₂ /PCO₂ - monitoring in children. Crit Care Med 18:1050.*
- 5) *Hasibeder W, Sparr H, Germann R, Haisjackl M, Luz G (1992) Hemoglobin oxygen dissociation curve in intensive care patients. Int Care Med 18:380.*
- 6) *Germann R, Hasibeder W, Luz G (1993) Effects of low-dose dopamine on gut ischemia in a porcine model of hemorrhagic shock. J Appl Physiol 78:1472.*
- 7) *Hasibeder W, Haisjackl M, Germann R, Vergeiner R, Seyr M, Sparr H (1993) Scoring systems and audit. Lancet 342:307*
- 8) *Luz G, Germann R, Innerhofer P, Hasibeder W (1993) Continuous caudal epidural bubivacaine infusion in children. Anesth Analg 77:398.*
- 9) *Mayr A, Deusch E, Hasibeder W, Mutz N (1996) Acute renal failure in Intensive Care Units. Crit Care Med 24:1930-1931.*
- 10) *Mayr A, Knotzer H, Mutz N, Hasibeder W (1999) Tachyarrhythmias after cardiac surgery. Int Care Med 25:242-245.*

- 11) Mayr A, Mutz N, *Hasibeder W* (1999) Gibt es noch Indikationen für Albumin ? *WiKliWo* 111/11:449-450
- 12) Wiedermann FJ, Mayr A, Sepp N, *Hasibeder W* (1999) Catastrophic Antiphospholipid-Syndrome. *Lancet* 354: 71-72
- 13) Innerhofer P, Kühbacher G, Schobersberger W, Sumann G, *Hasibeder W* (2001) Normalisation of blood pressure in bleeding patients. *Lancet* 357: 1976-1977
- 14) Dünser M , *Hasibeder W*, Wenzel V, Mayr AJ (2004) Lessons learnt from high-dosage vasopressin infusion in septic shock. *CCM* 32:1433-1434
- 15) Dünser MW, Wenzel V, *Hasibeder WR* (2006) Ischemic skin lesions and microcirculatory collapse during vasopressin therapy: a possible role of the microcirculation? *Acta Anaesthesiol Scand* 50:637-638
- 16) Dünser MW, Wenzel V, *Hasibeder WR* (2006) Revisiting vasopressor therapy during the first 24 hours after cardiac surgery. *Crit Care Med* 34:580-581
- 17) *Hasibeder W*, Knotzer H, Friesenecker B, Dunser M (2006) Comment on "Sublingual capnometry tracks microcirculatory changes in septic patients" by Creteur et al. *Intensive Care Med* 32:1665-1666
- 18) Dünser MW, *Hasibeder WR* (2008) Surviving Sepsis Campaign Guidelines 2008: Revisiting Vasopressor Recommendations. *Crit Care Med* 36: 2488
- 19) Luckner G, *Hasibeder WR*, Dünser MW (2008) Vasopressor stays vasopressor and inotrope stays inotrope! *Critical Care* 14;12:415
- 20) Dünser MW, *Hasibeder WR*, Wenzel V (2008) Letter in response to the VASST study. *N Eng J Med* 358;25:2736

21) Dünser MW, *Hasibeder WR* (2010) Fish oil in septic shock – if you want to starve take the fish you have in the net! JPEN (accepted for publication)

26) Dahlqvist M, *Hasibeder WR*, Dünser MW (2011) Hemodynamic and perfusion end points for volemic resuscitation in sepsis. SHOCK 35:434

SCIENTIFIC ARTICLES IN BOOKS

- 1) Schobersberger W, Mairbäurl H, *Hasibeder W*, Knapp E, Dittrich P (1986) Changes in oxygen transport and exercise performance in hemodialysis patients during short-term adaption to altitude (3000m). Congress Proceedings des 23. FIMS World Congress of Sport Medicine, Brisbane.
- 2) Baumgartl P, Mairbäurl H, *Hasibeder W*, Schobersberger W, Schumacher W (1986) Höhentrainings-Ergebnisse eines Konditionsprogramms auf der Rudolfshütte mit Eisschnellläufern. Höhenmedizinisches Symposium Rudolfshütte, Hohe Tauern Kongressband, Hrsg. Österr. Alpenverein.
- 3) Mairbäurl H, *Hasibeder W*, Schobersberger W, Raas E (1987) Ausbelastungsergometrie in mittleren Höhenlagen und Einflüsse verminderter HbO₂-Affinität. Kongressband : Importance of anaerobic capacity, St. Johann/T.
- 4) *Hasibeder W*, Hönlinger M, Schobersberger W (1988) Sauerstofftransportfunktion in Erythrozytenkonzentraten: Ein Vergleich zwischen CAPD-1 und in PAGGS-Sorbit gelagerten Erythrozyten. In: Beiträge zur Infusionstherapie (Karger/Basel) 21:49-52.
- 5) *Hasibeder W*, Klaunzer S, Haisjackl M, Sparr H (1990) Welche Möglichkeiten der Anpassung an hypoxische Hypoxie besitzt der menschliche Organismus? In: Jahrbuch 90 der Österr Gesellschaft für Alpin-und Höhenmedizin (Selbstverlag).
- 6) Schobersberger W, *Hasibeder W*, Friedrich F (1991) Pathophysiologische Aspekte des zellulären und humoralen Versagens. In: Jahrbuch 91 der Österr Gesellschaft für Alpin- und Höhenmedizin (Selbstverlag).
- 7) *Hasibeder W*, Germann R, Haisjackl M, Sparr H, Friesenecker B (1992) Das Splanchnikusgebiet im Rahmen des Multiorganversagens. In: K Lenz, AN Laggner (Hrsg); Intensivmedizinisches Seminar Band 4:85-92.

- 8) *Hasibeder W*, Germann R, Friesenecker B, Plattner R, Seyr M (1993) Ertrinken. In: Jahrbuch 93 der Österr Gesellschaft für Alpin- und Höhenmedizin (Selbstverlag).
- 9) *Hasibeder W*, Germann R, Haisjackl M, Meusburger S (1996) Pharmacological manipulation of gut microcirculation. In: 9th European Congress on Intensive Care Medicine; D Bennett (eds) Monduzzi Editore, Bologna: 813-820
- 10) *Hasibeder W*, Mutz N (1998) Depth related pathophysiology. In: The Oxford Textbook of Critical Care Medicine; Webb A, Shapiro MJ, Singer M, Suter P (eds) Oxford University Press, Oxford
- 11) Knotzer H, Mayr A, Ulmer H, Mutz N, *Hasibeder W* (1998) Tachyarrhythmias in a surgical intensive care unit: A case controlled epidemiological study. In: Anaesthesia Pain Intensive Care and Emergency Medicine: Selected Papers; A.P.I.C.E. 97; A Gullo (ed) Tipografia-Litografia <<Moderna>> Trieste
- 12) Mayr A, Pajk W, *Hasibeder W* (1999) Oxygen supply and consumption in tissues. In: Sepsis and Organ Dysfunction – the Challenge Continues. A.E. Baue, G. Berlot, A Gullo, J.L. Vincent (eds). pp 43-48; Springer Verlag
- 13) Pajk W, Knotzer H, *Hasibeder W* (1999) Mechanism of oxygen extraction defect in septic shock. In: Sepsis and Organ Dysfunction – the Challenge Continues. A.E. Baue, G. Berlot, A Gullo, J.L. Vincent (eds). pp 57-63; Springer Verlag
- 14) *Hasibeder W* (2001) Spezielle Unfälle: Beinahe-Ertrinken, der Tauchunfall, Unterkühlung. In: Intensivmedizin; Larson, Buchardi, Schuster, Suter (eds) Springer Verlag, Berlin, Heidelberg, New York: 1205-1217
- 15) *Hasibeder W*, Schobersberger W (2001) Near Drowning. In: Prehospital Trauma Care; Marcel Dekker, Inc. New York Basel: 603-614

- 16) *Hasibeder W* (2004) Spezielle Unfälle: Beinahe-Ertrinken, der Tauchunfall, Unterkühlung. In: Intensivmedizin; Larson, Buchardi, Schuster, Suter (eds) Springer Verlag, Berlin, Heidelberg, New York: 1045-1056
- 17) *Hasibeder W* (2005) Beinahe-Ertrinken. In: Thorax - Traumatologie; Gahr R (eds) Springer Verlag, Berlin, Heidelberg, New York
- 18) *Hasibeder W, Wenzel V, Simcock A* (2006) Treatment Protocols: Intensive Care Department. In: Handbook on Drowning; Bierens, Joost JLM (eds) Springer Verlag, Berlin, Heidelberg, New York
- 19) *Hasibeder W, Rieger M* (2008) Die akute nekrotisierende Pankreatitis. In Intensivmedizin; Eckart, Forst, Buchardi (eds) Ecomed Medizin (Verlagsgruppe Hüthig Jehle Rehm GmbH).
- 20) Luckner G, *Hasibeder W, Dünser M* (2011) Manejo del shock por vasodilatacion extrema y uso de la arginina vasopresina. In Guidados Criticos; Rodriguez Villar S (eds) Marban Libros SL, Madrid.
- 21) *Hasibeder W, Wenzel V* (2012) Treatment Protocols: Intensive Care Department. In: Handbook on Drowning; Bierens, Joost JLM (eds) Springer Verlag, Berlin, Heidelberg, New York in Press

ABSTRACTS:

- 1) Schobersberger W, *Hasibeder W*, Mairbäurl H (1985) High lactate maintains a normal red cell 2,3 -DPG despite of exercise induced acidosis. *Pflügers Arch* 403: R71
- 2) Mairbäurl H, *Hasibeder W*, Schobersberger W (1985) Adaption of red cell oxygen transport to acute exercise. *Pflügers Arch* 403: R71
- 3) Mairbäurl H, *Hasibeder W*, Schobersberger W, Raas E (1985) Exercise performance at moderate altitude and influences of a decreased hemoglobin oxygen affinity. *Int J Sports Med* 6: 250
- 4) Mairbäurl H, *Hasibeder W*, Schobersberger W, Raas E (1985) Ausbelastungsergometrie in mittleren Höhenlagen und Einflüsse verminderter HbO₂-Affinität. *Wiener Med Wochenschrift* 156: 403.
- 5) *Hasibeder W*, Schobersberger W, Mairbäurl H (1985) Factors influencing the HbO₂-affinity during adaption to moderate altitude. *Pflügers Arch* 405: R24.
- 6) Mairbäurl H, *Hasibeder W*, Schobersberger W (1985) Positive effects of a decreased HbO₂-affinity on submaximal exercise at moderate altitude. *Pflügers Arch* 405: R68
- 7) Schobersberger W, Mairbäurl H, *Hasibeder W* (1985) Red cell oxygen transport before and after short termed maximal swimming in dependence of the training status. *Pflügers Arch* 405: R68
- 8) Mairbäurl H, Tschernko E, *Hasibeder W*, Schobersberger W (1986) Coupling of HbO₂ - binding to membrane transport processes. Meeting of the European Red Cell Club, Visegrad, Ungarn.

- 9) Schobersberger W, Mairbäurl H, *Hasibeder W*, Knapp E, Dittrich P (1986) Changes in oxygen transport and exercise performance in hemodialysis patients during short termed adaption to altitude (3020m). 23. FOMS World Congress of Sports Medicine, Brisbane, (Kongressbeitrag).

- 10) Mairbäurl H, *Hasibeder W*, Schobersberger W (1986) Evidence for an increased aerobic capacity due to an increased P-50 value at moderate altitude. Proceedings of the International Union of Physiological Sciences 16: 217.

- 11) Schobersberger W, Mairbäurl H, *Hasibeder W*, Hopferwieser T, Knapp E, Baumgartl P, Dittrich P (1988) Oxygen transport and exercise performance in hemodialysis patients at moderate altitude (2000m). In Sutton, Houston, Coates (eds) Hypoxia The tolerable limits. Benchmark Press, Indianapolis.

- 12) Schobersberger W, *Hasibeder W*, Hopferwieser T, Baumgartl P, Knapp E, Dittrich P, Mairbäurl H (1987) Differences in adaption of red cell O₂ - affinity to altitude between healthy subjects and hemodialysis patients. Pflügers Arch 408: R 350

- 13) *Hasibeder W*, Schobersberger W, San Nikolo M, Hafele G, Mairbäurl H (1987) Red cell O₂ - transport in patients with chronic arterial occlusive disease. Pflügers Arch 408: R 109.

- 14) Mairbäurl H, Tschernko E, *Hasibeder W*, Schobersberger W, Paulmichl M (1987) Elevated red cell Ca⁺⁺ causes an increased HbO₂ - affinity. Pflügers Arch 408: R 96

- 15) Hönlinger M, *Hasibeder W*, Schobersberger W, Reissigl H (1987) Sauerstofftransportfunktion in Erythrozytenkonzentraten Ein Vergleich zwischen CAPD1 und in PAGGS - Sorbit gelagerten Erythrozyten. Beitrag zum 22. Kongreß der Deutschen Gesellschaft für Transfusionsmedizin und Immunhämatologie, Innsbruck, 1987 (Kongressbeitrag).

- 16) Schobersberger W, Mairbäurl H, *Hasibeder W*, Baumgartl P, Hopferwieser T, Knapp E, Dittrich P (1988) Exercise performance of chronic hemodialysis patients during altitude exposure. International Conference of Exercise, Fitness and Health, Toronto (Kongressbeitrag)
- 17) Haisjackl M, *Hasibeder W*, Klaunzer S, Sparr H (1989) Transcutaneous oxygen and carbon dioxide monitoring in a child with severe hemorrhagic shock. Second European Congress of Pediatric Anaesthesia, Rotterdam (Kongressbeitrag)
- 18) Luz G, Haisjackl M, *Hasibeder W*, Klaunzer S, Neumann M, Altenberger H (1988) Transcutaneous oxygen and carbon dioxide monitoring in pediatric anaesthesia. Second European Congress of Pediatric Anaesthesia, Rotterdam (Kongressbeitrag)
- 19) Luz G, *Hasibeder W*, Haisjackl M, Klaunzer S, Neumann M, Altenberger H (1989) Nicht-invasives Blutgasmonitoring in der Kinderanästhesie Pulsoximetrie - Capnometrie - Transcutaner pO₂/pCO₂. *Anaesthesist* 38 (Suppl): 148
- 20) *Hasibeder W*, Haisjackl M, Klaunzer S, Altenberger H, Benzer H, Höper J (1989) Influence of different respiration regimes on alveolar pO₂. *Anaesthesist* 38 (Suppl): 305.
- 21) Haisjackl M, *Hasibeder W*, Klaunzer S, Altenberger H, Hackl JM, Mutz N (1989) Die reaktiv Hyperämieaktion beim kritisch Kranken. *Anaesthesist* 38 (Suppl): 488
- 22) *Hasibeder W*, Haisjackl M, Klaunzer S, Altenberger H, Koller W, Luz G (1989) Transkutanes Sauerstoff-(TCPO₂) und Kohlendioxid-(TCPCO₂) Monitoring in der Erwachsenenintensivmedizin. *Anaesthesist* 38 (Suppl): 484
- 23) Klaunzer S, Haisjackl M, Sparr H, Mair P, Schobersberger W, *Hasibeder W*, Mitterschiffthaler G (1989) Transkutane Sauerstoff und Kohlendioxidpartialdruckmessung beim gesunden Erwachsenen unter Hypoxie, Normoxie und Hyperoxie. *Anaesthesist* 38 (Suppl): 484

- 24) Benzer A, *Hasibeder W*, Haisjackl M, Neumann N (1989) Primärtherapie des schweren Blutungsschocks Blut Ja oder Nein ? Anaesthesist 38 (Suppl): 703
- 25) Schobersberger W, Maggiorini M, *Hasibeder W*, Oelz O, Bärtsch P (1991) HbO₂-affinity after rapid ascent to high altitude preceding acute mountain sickness (AMS). In Sutton, Houston, Coates (eds) Hypoxia. Benchmark Press, Indianapolis.
- 26) *Hasibeder W*, Haisjackl M, Schwarz CD, Häussler R, Klaunzer S, Germann R, Lingnau W, Mutz N (1991) Mucosa and serosa PO₂ of the jejunum in swine. Circ Shock 34: A74
- 27) Schwarz CD, *Hasibeder W*, Haisjackl M, Sparr H, Klima G, Herold M, Salak N, Seyr M, Abendstein B (1991) Systemic and intestinal oxygen transport parameters following acute necrotizing pancreatitis in swine. Circ Shock 34: A184
- 28) Sparr H, Germann R, Schwarz C, Haisjackl M, *Hasibeder W*, Ennemoser O, Salak N, Friesenecker B (1991) Jejunal oxygen supply during short time ischemia and reperfusion. Beitrag zum International Symposium on advanced Critical Care Monitoring, Dez 1991 in München
- 29) Germann R, Haisjackl M, Sparr H, Schwarz C, Friesenecker B, Luz G, Ennemoser O, *Hasibeder W* (1992) Jejunal oxygenation during anemic and ichemic hypoxia in swine Kongressabstrakt WIT 1992
- 30) Germann R, Haisjackl M, Sparr H, *Hasibeder W*, Friesenecker B, Luz G, Plattner R, Pernthaler H (1992) Dopamine modulates oxygenation of the jejunal mucosa. Int Care Med 18: A137
- 31) Haisjackl M, *Hasibeder W*, Sparr H, Luz G, Germann R, Friesenecker B, Schwarz C (1992) Effects of isovolemic hemodilution on jejunal oxygenation. Int Care Med. 18: A27

- 32) *Hasibeder W*, Luz G, Germann R, Sparr H, Haisjackl M, Friesenecker B, Plattner R, Ennemoser O (1993) Jejunal oxygenation during anemic and ischemic hypoxia in swine. *Crit Care Med* 21: 182
- 33) *Hasibeder W*, Germann R, Sparr H, Haisjackl M, Luz G, Friesenecker B, Plattner R (1993) Der Dünndarm im septischen Schock. *Anästhesist* 42: 57
- 34) *Hasibeder W*, Haisjackl M, Germann R, Gruber E, Riedmann B, Hausdorfer H, Sparr H, Waldenberger P, Herold M, Klima G (1994) Does short-time endotoxemia alter jejunal mucosal oxygenation? A preliminary study. *Shock* 2 (Suppl): A 56
- 35) Germann R, Haisjackl M, *Hasibeder W*, Sparr H, Gruber E, Schwarz B, Bonatti H (1994) Dopaminergics and intestinal mucosal tissue oxygenation. *Shock* 2 (Suppl): A 67
- 36) *Hasibeder W*, Haisjackl M, Gruber E, Schwarz B, Germann R, Sparr H (1994) Pancreatitis models. *Shock* 2 (Suppl): A43/10
- 37) Luz G, *Hasibeder W* (1995) Analgesia and sedation in critically ill children. *Anästhesist* (Suppl) 2: E 102-5
- 38) Gruber E, Schwarz B, Breuß M, *Hasibeder W* (1997) Evaluation of cutaneous microcirculatory function after hypothermic cardiopulmonary bypass. *Int Care Med* 23 (Suppl); 95: A 69
- 39) Schwarz B, Salak N, Bonatti J, Hofstätter H, Germann R, *Hasibeder W* (1998) Influence of hemorrhage and dopamine on oscillations in jejunal mucosal tissue oxygenation. *Crit Care Med* 26 (Suppl): A22
- 40) Salak N, Schwarz B, Riedmann B, Pajk W, Knotzer H, Fasel Ch, *Hasibeder W* (1998) Influence of norepinephrine and phenylephrine on jejunal mucosal oxygen supply in pigs Preliminary results. *Crit Care Med* 26 (Suppl): A72

- 41) Salak N, *Hasibeder W* (1999) Der Gastrointestinaltrakt im Schock. J Anästh und Intensivbehandlung 2 Quart. 99: 87
- 42) Dünser M, Luckner G, Mayr A, Knotzer H, Pajk W, Ritsch N, *Hasibeder W* (2000) Hemodynamic changes during continuous infusion of vasopressin in critically ill patients with severe MODS. Int Care Med 26 (Suppl): A10
- 43) Knotzer H, Mayr A, Pajk W, Dünser M, Mutz N, *Hasibeder W* (2000) Tachyarrhythmias in a surgical intensive care unit a case controlled epidemiologic study. Int Care Med 26 (Suppl): A133
- 44) Fries D, *Hasibeder W*, Hackl J, Schwamberger H, Klingler A, Andretter V, Schobersberger W (2000) The management of „do not resuscitate-orders“ at intensive care units in Austria. Int Care Med 26 (Suppl): A425
- 45) Mayr A, Knotzer H, Luckner G, Pajk W, Ritsch N, Mutz N, *Hasibeder W* (2000) Tachyarrhythmias after cardiac surgery – a retrospective analysis. Int Care Med 26 (Suppl): A523
- 46) Pajk W, Knotzer H, Hofstätter H, Mayr A, Ritsch N, Dünser M, *Hasibeder W* (2000) Effects of epinephrine on intestinal oxygen supply and mucosal tissue oxygen tension in pigs. Int Care Med 26 (Suppl): A582
- 47) Fries D, *Hasibeder W*, Mittermayr M, Klingler A, Andretter V, Hackl JM, Schobersberger W (2001) Withholding and withdrawing therapy at the intensive care units of the university hospital of Innsbruck, Austria. Critical Care 5 (Suppl 1): A56
- 48) *Hasibeder W*, Pajk W, Ritsch N, Knotzer H, Dünser M, Mayr A (2001) Effects of three different resuscitation regiments on jejunal tissue oxygen supply after hemorrhagic shock. Int Care Med 27 (Suppl 2): A188

- 49) Mayr A, Ritsch N, Knotzer H, Dünser M, Pajk W, Schobersberger W, *Hasibeder W* (2001) Primary success rate of direct current cardioversion in surgical intensive care patients. *Int Care Med* 27 (Suppl 2): A222
- 50) Dünser M, Mayr A, Stallinger A, Ritsch N, Knotzer H, Pajk W, *Hasibeder W* (2001) Cardiac performance during vasopressin infusion in catecholamine-resistant postcardiotomy shock. *Int Care Med* 27 (Suppl 2): A257
- 51) Ritsch N, Mayr A, Pajk W, Knotzer H, Dünser M, Schobersberger W, *Hasibeder W* (2001) Effectiveness and safety of amiodarone for treatment of supraventricular tachyarrhythmias in SICU-patients. *Int Care Med* 27 (Suppl 2): A265
- 52) Pajk W, Ritsch N, Dünser M, Knotzer H, Mayr A, Kampfl A, *Hasibeder W* (2001) Factors associated with development of encephalopathy in surgical intensive care patients. *Int Care Med* 27 (Suppl 2): A462
- 53) Knotzer H, Mayr A, Pajk W, Ritsch N, Dünser M, Schobersberger W, *Hasibeder W* (2002) Is the degree of multiple organ failure related to severity of microcirculatory failure? *Int Care Med* 27 (Suppl 2): A550
- 54) Knotzer H, Pajk W, Mayr A, Dünser M, *Hasibeder W* (2002) Is the degree of multiple organ failure related to severity of capillary leakage ? *Critical Care* 6 (Suppl 1): P203
- 55) Pajk W, Knotzer H, Mayr A, Dünser M, *Hasibeder W* (2002) Effects of three different resuscitation regimens on jejunal tissue oxygen supply after hemorrhagic shock. *Critical Care* 6 (Suppl 1): P174
- 56) *W Hasibeder* (2002) Methoden zur Beurteilung von Oxygenierung und Perfusion im Splanchnikusgebiet. *Der Anesthesist*

- 57) Dünser M, Mayr A, Knotzer H, Pajk W, Friesenecker B, Tür A, *Hasibeder W* (2002) Ischemic skin lesions as a complication of vasopressin infusion Incidence and risk factors. *Int Care Med* 28 (Supp 1): 145
- 58) Mayr AJ, Dünser MW, Ulmer H, Knotzer H, Pajk W, Friesenecker B, *Hasibeder WR* (2002) Risk factors for the development of multiple organ dysfunction after cardiac surgery. *Int Care Med* 28 (Supp 1): 648
- 59) Dünser M, *Hasibeder WR*, Friesenecker BE, Knotzer H, Pajk W, Mayr AJ (2003) Arginine vasopressin in advanced vasodilatory shock A prospective, randomized, controlled study. *Int Care Med* 29 (Supp1): 25
- 60) Mayr AJ, *Hasibeder WR*, Friesenecker BE, Knotzer H, Pajk W, Dünser M (2003) MODS after cardiac surgery Risk factors and a model to predict severity. *Int Care Med* 29 (Supp1): 500
- 61) Dünser M, *Hasibeder WR*, Friesenecker BE, Knotzer H, Pajk W, Mayr AJ (2003) Endocrinologic effects of a continuous vasopressin infusion in advanced vasodilatory shock. *Int Care Med* 29 (Supp1): 411
- 62) Dünser MW, Jochberger S, Mayr V, Knotzer H, Pajk W, Wenzel V, Luckner G, *Hasibeder WR* (2005) Arginine-vasopressin in 316 patients with advanced vasodilatory shock. *Int Care Med* 31 (Supp 1): 008
- 63) Dünser MW, Jochberger S, Mayr V, Hinterberger G, Lass Flörl C, Luckner G, Knotzer H, *Hasibeder WR* (2005) Central venous catheter colonialization -comparing standard with aseptic catheter. *Int Care Med* 31 (Supp 1): 592
- 64) Knotzer H, Pajk W, Dünser MW, *Hasibeder W*, Maier S (2005) Epoprostenol improves jejunal mucosal oxygen supply in an endotoxic porcine model. *Int Care Med* 31 (Supp 1): 849

- 65) Knotzer H, Pajk W, Dünser MW, Maier S, *Hasibeder W* (2005) Arginine - vasopressin does not further deteriorate jejunal mucosal oxygen supply in endotoxic pigs. *Int Care Med* 31 (Supp 1): 848
- 66) Pajk W, Knotzer H, Maier S, Brandner J, Torgersen C, Dünser M, *Hasibeder W* (2005) Norepinephrine restores gut mucosal oxygenation in endotoxaemia attenuated by vasopressin. *Int Care Med* 31 (Supp 1): 846
- 67) Jochberger S, Mayr V, Luckner G, Knotzer H, Pajk W, Wenzel V, *Hasibeder WR* (2005) Serum vasopressin concentrations in critically ill patients. *Int Care Med* 31 (Supp 1): 435
- 68) Dünser MW, *Hasibeder WR*, Jochberger S, Mayr VD, Luckner G, Knotzer H, Friesenecker BE (2006) Arteriolar vasoconstrictive response: Comparing the effects of vasopressin and norepinephrine. *Intensive Care Med* 32 (Suppl 1): A419
- 69) Jochberger S, Mayr V, Luckner G, Knotzer H, *Hasibeder WR*, Dünser MW. Plasma copeptin and vasopressin concentrations in critically ill patients and healthy volunteers (2006) *Intensive Care Med* 32 (Suppl 1): A445
- 70) Dünser MW, Jochberger S, Mayr VD, Luckner G, Knotzer H, *Hasibeder WR* (2006) Determinants of outcome in critically ill patients. *Intensive Care Med* 32 (Suppl 1): A733
- 71) Dünser MW, Jochberger S, Mayr VD, Luckner G, Knotzer H, *Hasibeder WR* (2006) Assessing the coagulation system in patients with sepsis using the thromboelastometry. *Intensive Care Med* 32 (Suppl 1): A1078
- 72) Dünser MW, Daudel F, Luckner G, Mayr V, Jochberger S, *Hasibeder WR*, Takala J, Jakob S (2007) Arterial blood pressure in early sepsis. *Int Care Med* 33 (Suppl 2): 125
- 73) Luckner G, Jochberger S, Mayr V, Wenzel V, Ulmer H, *Hasibeder WR*, Dünser MW (2007) Arginine Vasopressin is ineffective to reverse vasopressor dependency in patients

with chronic ACE inhibitor therapy and prolonged postoperative hypotension. *Int Care Med* 33 (Suppl 2): 643

74) Dünser MW, Haller M, Jochberger S, Mayr V, Luckner G, Daudel F, Hasibeder W (2007) Betablocker therapy in patients with septic cardiomyopathy. *Int Care Med* 33 (Suppl 2): 484

75) Jochberger S, Mayr V, Luckner G, Torgersen C, *Hasibeder WR*, Dünser MW (2007) Vasopressin plasma concentrations in postcardiotomy shock A prospective controlled trial. *Int Care Med* 33 (Suppl 2): 763

76) Jochberger S, Westermann I, Dünser M, Luckner G, Mayr V, Wenzl V, Innerhofer P, Voelckl W, *Hasibeder W*, Morgenthaler N (2007) Endogenous vasopressin and copeptin response in multiple trauma patients. *Int Care Med* 33 (Suppl 2): 962

77) Knotzer H, *Hasibeder W*, Hengl Ch, Schwarz B, Mair P, Maier S (2007) Increased perfusion pressure induced with phenylephrine impairs microcirculatory parameters during extracorporeal circulation. *Appl Cardiopulm Pathophysiol* 11:46-47

78) *Hasibeder W*, Wurzingler B, Dünser M (2008) A physiology based approach to hemodynamic management of septic shock patients. *Wiener klinische Wochenschrift* 03/08: S15-S17

79) Jochberger S, Luckner G, Mayr V, Torgerson C, Wenzel V, Ulmer H, *Hasibeder W*, Morgenthaler N, Dünser M (2008) The postoperative vasopressin and copeptin response in non-cardiac surgery patients: a prospective controlled trial. *Int Care Med* 34 (Suppl 1): S 400

80) Jochberger S, Mayr V, Torgerson C, Luckner G, Wenzel V, Ulmer H, Morgenthaler N, *Hasibeder W*, Dünser M (2008) The vasopressin and copeptin response to infection, sepsis and septic shock. *Int Care Med* 34 (Suppl 1): S 767

- 81) Luckner G, Torgerson C, Mayr V, Jochberger S, *Hasibeder WR*, Dünser M (2008) One year survival after vasopressin therapy for advanced vasodilatory shock. *Int Care Med* 34 (Suppl 1): S 196
- 82) Torgerson C, Moser P, Luckner G, Mayr V, Jochberger S, *Hasibeder W*, Dünser M (2008) Post-mortem findings in 243 surgical intensive care patients with sepsis. *Int Care Med* 34 (Suppl 1): S 928